AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions and listings of claims in the application:

 (Previously Presented) A method for processing data events captured in a multi-protocol communications system, the method comprising:

capturing first data events at a first link analyzer, the first link analyzer being disposed in an in-line arrangement with respect to a first data stream corresponding to a first communication protocol:

capturing second data events at a second link analyzer, the second link analyzer being disposed in an in-line arrangement with respect to a second data stream corresponding to a second communication protocol that is different from the first communication protocol;

accessing the captured first and second data events, each of the captured first and second data events having an associated clock timestamp;

sorting at least some of the first and second captured data events according to the respective clock timestamps associated with each of the first and second captured data events; and

displaying at least some of the sorted data events by way of a graphical user interface.

- (Previously Presented) The method as recited in claim 1, wherein the displayed data events represent at least the first and second communication protocols.
- (Original) The method as recited in claim 1, wherein the displayed data events represent at least two different communication protocols selected from the group consisting of: Infiniband; Gigabit Ethernet; SONET; Fibre Channel; and, PCI Express.

- (Original) The method as recited in claim 1, wherein the clock timestamp is based upon one of: a reference clock; and, a protocol clock.
- 5. (Original) The method as recited in claim 1, wherein the displayed data events are presented on the graphical user interface such that a temporal relationship between at least two of the displayed data events is apparent from the display.
- 6. (Currently Amended) The method as recited in claim 5, wherein the temporal relationship comprises one of the following: a first data event preceded <u>by</u> a second data event; a first data event followed <u>by</u> a second data event; a first data event overlapped <u>by</u> a second data event; and, a first data event and second data event commenced simultaneously and also concluded simultaneously.
- 7. (Original) The method as recited in claim 5, further comprising using information concerning the temporal relationship to facilitate determination of whether or not a causal relationship exists between the at least two sorted data events.
- 8. (Original) The method as recited m claim 1, further comprising displaying information concerning at least some of the displayed data events, wherein the displayed information includes at least one of: a data event start time; a data event stop time; a data event delta time; a data event type; an analyzer port in connection with which a data event was captured; a timestamp value; and, a protocol type.

9. (Previously Presented) A method for processing data events associated with a multi-protocol communications system, the method being suitable for use in connection with a multi- link protocol analyzer and comprising:

capturing first data events at a first link analyzer, the first link analyzer being disposed in an in-line arrangement with respect to a first data stream corresponding to a first communication protocol:

capturing second data events at a second link analyzer, the second link analyzer being disposed in an in-line arrangement with respect to a second data stream corresponding to a second communication protocol that is different from the first communication protocol;

timestamping each of the captured first and second data events in association with a clock:

sorting at least some of the captured first and second data events according to the respective clock timestamps associated with each of the first and second captured data events; and

displaying at least some of the sorted data events by way of a graphical user interface such that a temporal relationship between at least two of the displayed data events is apparent from the display.

- 10. (Original) The method as recited in claim 9, wherein the displayed data events represent at least two different communication protocols selected from the group consisting of: Infiniband; Gigabit Ethernet; SONET; Fibre Channel; and, PCI Express.
- (Previously Presented) The method as recited in claim 9, wherein the clock timestamp is based upon one of: a reference clock; and, a protocol clock.

- 12. (Currently Amended) The method as recited in claim 9, wherein the temporal relationship comprises comprise at least—one of the following: a first data event preceded by a second data event; a first data event followed by a second data event; a first data event overlapped by a second data event; and, a first data event and second data event commenced simultaneously and also concluded simultaneously.
- 13. **(Previously Presented)** The method as recited in claim 9, further comprising determining whether a causal relationship exists between at least two displayed data events based upon the temporal relation between the at least two displayed data events.
- 14. **(Previously Presented)**The method as recited In claim 9, further comprising displaying information concerning at least some of the displayed data events, wherein the displayed information includes at least one of a data event start time; a data event stop time; a data event delta time; a data event type; an analyzer port in connection with which a data event was captured; a timestamp value; and, a protocol type.

15. (Previously Presented) A method for processing data events associated with a multi-protocol communications system, the method being suitable for use in connection with a multi- link protocol analyzer and comprising:

capturing first data events at a first link analyzer, the first link analyzer being disposed in an in-line arrangement with respect to a first data stream corresponding to a first communication protocol:

capturing second data events at a second link analyzer, the second link analyzer being disposed in an in-line arrangement with respect to a second data stream corresponding to a second communication protocol that is different from the first communication protocol;

timestamping each of the captured first and second data events in association with a clock:

sorting at least some of the captured first and second data events according to the respective clock timestamps associated with each of the first and second captured data events:

filling a display with at least some of the sorted data events; and

displaying the sorted data events in the display by way of a graphical user interface such that a temporal relationship between at least two of the displayed data events is apparent from the display.

- 16. (Previously Presented) The method as recited in claim 15, wherein the displayed data events represent at least two different communication protocols selected from the group consisting of: Infiniband; Gigabit Ethernet; SONET; Fibre Channel; and, PCI Express.
- 17. (Previously Presented) The method as recited in claim 15, wherein the clock timestamp is based upon one of: a reference clock; and, a protocol clock.

- 18. (Currently Amended) The method as recited in claim 15, wherein the temporal relationship comprises emprise at least—one of the following: a first data event preceded by a second data event; a first data event followed by a second data event; a first data event overlapped by a second data event; and, a first data event and second data event commenced simultaneously and also concluded simultaneously.
- 19. (Previously Presented) The method as recited in claim 15, further comprising determining whether a causal relationship exists between at least two displayed data events based upon the temporal relation between the at least two displayed data events.
- 20. **(Previously Presented)** The method as recited in claim 15, further comprising displaying information concerning at least some of the displayed data events, wherein the displayed information includes at least one of: a data event start time; a data event stop time; a data event delta time; a data event type; an analyzer port in connection with which a data event was captured; a timestamp value; and, a protocol type.

21. (Currently Amended) A computer program product for implementing a method for processing data events captured in a multi-protocol communications system, the computer program product comprising:

physical storage computer readable medium carrying computer executable instructions for performing the method, wherein the method comprises:

accessing first data events captured at [[from]]a first link analyzer from a data stream corresponding to [[at]]a first communication protocol;

accessing second data events captured at [[from]] a second link analyzer from a data stream corresponding to [[at]] a second communication protocol that is different from the first communication protocol;

timestamping each of the captured first and second data events in association with a clock:

sorting at least some of the captured first and second data events according to the respective clock timestamps associated with each of the captured first and second data events; and

displaying at least some of the sorted data events by way of a graphical user interface such that a temporal relationship between at least two of the displayed data events is apparent from the display.

- 22. (Previously Presented) The computer program product as recited in claim 21, wherein the displayed data events represent at least two different communication protocols selected from the group consisting of: Infiniband; Gigabit Ethernet; SONET; Fibre Channel; and, PCI Express.
- 23. (Previously Presented) The computer program product as recited in claim
 21. wherein the clock timestamp is based upon one of: a reference clock: and, a protocol clock.

- 24. (Currently Amended) The computer program product as recited in claim 21, wherein the temporal relationship <u>comprises comprises at least</u>-one of the following: a first data event preceded <u>by</u> a second data event; a first data event followed <u>by</u> a second data event; a first data event and second data event commenced simultaneously and also concluded simultaneously.
- 25. (Previously Presented) The computer program product as recited in claim 21, wherein the method further comprises determining whether a causal relationship exists between at least two displayed data events based upon the temporal relation between the at least two displayed data events.
- 26. (Previously Presented) The computer program product as recited in claim 21, wherein the method further comprises displaying information concerning at least some of the displayed data events, wherein the displayed information includes at least one of: a data event start time; a data event stop time; a data event delta time; a data event type; an analyzer port in connection with which a data event was captured; a timestamp value; and, a protocol type.